

MO-700 Series

JUKI[®]
It's Sew Easy!

Juki's Coming Home
with Advanced Serging Technology.



— A WORLD LEADER IN SEWING MACHINE TECHNOLOGY —



HOME



INDUSTRIAL



TECHNOLOGY

Dazzle your **family** and **friends** with design innovations using the **Juki Lock MO-700 Series Sergers.**



MO-734DEN

2-Needle, 2/3/4 Thread Overlock with Differential Feed and Automatic Needle Threader

Create the latest sophisticated styles, trendy sportswear, stretchy activewear, adorable childrenswear, decorative home fashions and more! With the MO-734DEN and the MO-735N you can expand your sewing capabilities with a wide range of 2/3/4 thread overlock stitch variations. With the MO-735N you can advance your serging applications to include chainstitch, 5-thread safety stitch and 2 or 3 needle coverstitch.

These Juki Sergers can handle all types of fabrics from ultra light weight to heavy weight, and the most difficult-to-feed materials. Achieve virtually every serger technique and decorative stitch you've imagined with the Juki MO-700 Series!

In addition to overlocking you can easily convert your MO-735N to a 2 or 3 Needle Bottom Coverstitch, a 5-Thread Safety Stitch or 2-Thread Chainstitch!

MO-735N

2-Needle, 2/3/4/5 Thread Overlock with Differential Feed, Chainstitch and Coverstitch



2 & 3 Needle Bottom Coverstitch


Coverstitch: Easily converts to coverstitch for hemming and serging in one operation. Ideal for hemming all types of knit garments including tee shirts and sweatshirts, sewing elastic and decorative seaming.

Chainstitch Mode

2-Thread Chainstitch: For creating durable seaming, binding and decorative sewing on woven fabric. The unit easily converts to chainstitch and features an automatic chain looper threader.


5-Thread Safety Stitch

3-Thread Overlock with Chainstitch: Wide or narrow 3-thread overlock combined with 2-thread chainstitch for creating super secure professional seams.



Popular Stitch Variations

MO-734DEN



MO-735N

Superior Performance Features of the MO-734DEN and MO-735N:

- Cut/Sew/Finish in One Operation
- Lay-in Type Thread Tension Slots
- Color-Coded Threading
- Automatic Looper Threading
- Slit-Type Molded Looper Threading Paths
- Adjustable Stitch Length (external)
- Adjustable Differential Feed (external)
- Adjustable Lower Knife
- Retractable Upper Knife
- Automatic Rolled Hemming
- Automatic Needle Threader
- 2/3 Thread Conversion Cap
- Wide Overedge Width (5 - 9mm)
- Higher Presser Foot Lift
- Sewing Light
- Micro Safety Switch
- Standard Parts/Accessory Kit
- 15 Overlock Stitch Variations
- 2 or 3 Needle Bottom Coverstitch
- Compensating Presser Foot for Coverstitch
- 5-Thread Safety Stitch
- 2-Thread Chainstitch
- Automatic Chain Looper Threader
- Auxiliary Bed for Chain and Coverstitch
- Waste bin
- LED light

	MO-734DEN	MO-735N
Cut/Sew/Finish in One Operation	Standard	Standard
Lay-in Type Thread Tension Slots	Standard	Standard
Color-Coded Threading	Standard	Standard
Automatic Looper Threading	Standard	Standard
Slit-Type Molded Looper Threading Paths	Standard	Standard
Adjustable Stitch Length (external)	Standard	Standard
Adjustable Differential Feed (external)	Standard	Standard
Adjustable Lower Knife	Standard	Standard
Retractable Upper Knife	Standard	Standard
Automatic Rolled Hemming	Standard	Standard
Automatic Needle Threader	Standard	Standard
2/3 Thread Conversion Cap	Standard	Standard
Wide Overedge Width (5 - 9mm)	Standard	Standard
Higher Presser Foot Lift	Standard	Standard
Sewing Light	Standard	Standard
Micro Safety Switch	Standard	Standard
Standard Parts/Accessory Kit	Standard	Standard
15 Overlock Stitch Variations	Standard	Standard
2 or 3 Needle Bottom Coverstitch		Standard
Compensating Presser Foot for Coverstitch		Standard
5-Thread Safety Stitch		Standard
2-Thread Chainstitch		Standard
Automatic Chain Looper Threader		Standard
Auxiliary Bed for Chain and Coverstitch		Standard
Waste bin	Standard	Standard
LED light	Standard	Standard

Standard equipment/function

Optional Attachments

Blind Stitch Presser Foot:

Part No. A9810-634-0A0A




Elasticator Presser Foot:

Part No. A9815-655-0A0A



Cording Presser Foot:

Part No. A9820-655-0A0A



Beading Presser Foot:

Part No. A9870-634-0A0A




Gathering Presser Foot:

Part No. A9860-655-0A0C



Piping Presser Foot:

Part No. A9865-655-0A0A



Universal/Blind Stitch Presser Foot:

Part No. A9521-634-0A0A



Curved Pearl Foot:

Part No. A9511-634-0A0A



Standard Specifications

	MO-734DEN	MO-735N
Sewing Speed	1,500 spm	1,500 spm
Number of Threads	2/3/4 threads	2/3/4/5 threads
Standard Overlock Width	Left Needle: 7mm Right Needle: 5mm Rolled Hem: 2mm	Left Needle: 7mm Right Needle: 5mm Rolled Hem: 2mm Chain Needle: 10mm Coverstitch: 2.5 - 5mm
Stitch Length	1-4mm (Standard 2.5mm/Rolled Hem: 1 - 1.5mm)	
Differential Feed	0.7 - 2.0 Ratio	
Built-in Rolled Hemming	Right (Narrow) or Left (Wide) Needle/ 2 or 3 thread	
Decorative Flatlock	Right or left Needle/ 2 or 3 thread	
Knife SYSTEM	Heavy duty upper and lower knife system	
Presser Foot Lift	5mm	
2/3 Thread Converter	Standard with unit, easy to use conversion cap	
Multi-Purpose Presser Foot	Same foot is used for overlock, chainstitch and coverstitch	
Compensating Presser Foot	Parallel to throat plate to compensate for coverstitching multiple layer	

JUKI®

JUKI CENTRAL EUROPE Sp. z o.o.
ul. Poleczki 21 - Platan Park C, 02-822 Warszawa

Tel.: +48 22 545 04 00 / Fax: +48 22 545 04 11 / www.jukieurope.com